LUX ELEMENTS®

MADE IN GERMANY

WETROOM PRODUCTS

## Secure. Fast. Individual.

# LUX ELEMENTS – WETROOM PRODUCTS
Secure. Fast. Individual.

Quality made in Germany

Wetroom products from LUX ELEMENTS proven worldwide

- ◼ **Decades of experience**

- ◼ **High level of technical expertise**

- ◼ **International team**

- ◼ **Professional advice and support**

- ◼ **Modern flexible production methods**

- ◼ **Tried and tested building materials**

- ◼ **Quality control from the start**

- ◼ **Certified quality management**

1.
2.
3.

LUX ELEMENTS® –

THE ORIGINAL

- ■ **Environment-friendly**
- ■ **Modern building material**
- ■ **Proven material advantages**
- ■ **Excellent for use in wet and humid conditions**
- ■ **Very good machinability**
- ■ **Continuous development**
- ■ **Modern, system-oriented product range**

4.

The ORIGINAL can do !

1. Polystyrene hard foam
2. Contact mortar layer
3. Glass fibre fabric
4. Coating mortar layer

- ■ environmentally friendly
- ■ proven quality
- ■ pressure-stable and rigid
- ■ lightweight

- ■ water-resistant
- ■ fire-retarding
- ■ insulating
- ■ mould-resistant

- ■ design variety
- ■ alternative surfaces
- ■ economical
- ■ system-oriented

The wetroom solution system

LUX ELEMENTS®
Wall and floor panels

LUX ELEMENTS®
Benches

LUX ELEMENTS®
Shower bases
and drain system

LUX ELEMENTS®
Curbs and Ramps

All components from a single source

The wetroom is exposed to many stresses such as water, steam and heat. The water-resistant and mould-resistant hard foam support elements from LUX ELEMENTS are the appropriate material for the substrate here.

- **Wall and floor panels**
- **Bath surrounds**
- **Shower bases and drain system**
- **Benches**
- **Niches**
- **Curbs and Ramps**
- **Washstands**

and

- **Accessories**

LUX ELEMENTS®
Niches

**LUX ELEMENTS®**
Washstands

LUX ELEMENTS®
Bath surrounds (not shown)

LUX ELEMENTS®

Invest in a secure wetroom solution –
invest in LUX ELEMENTS® wetroom solution system!

LUX ELEMENTS has developed **high quality waterproof flooring and walling systems** to deal with the demands of both old and modern buildings. Whether the substrate is solid or wooden LUX ELEMENTS will **ensure peace of mind and a longer life for the tiles**.

- **Complete system**
- **High-quality products from Germany**
- **Certified sealing system**
- **Perfectly matched components**
- **Full cost control due to system quotation**
- **Fast, trouble-free realisation**
- **Safe investment, long-term use**

CE

ETA-13/0238
LUX ELEMENTS®
WATERTIGHT SOLUTION
www.luxelements.com
0799-CPD-130 · Nr LEWS2013

UPC
C ®

ASME A112.18.2 / CSA B 125.2
cUPC certified as a part of a kit listed
under the IAPMO file 8712.

GEV-EMICODE®
EC1 PLUS
very low emission

Double Security
with second drainage level

Tiles and grout are not watertight! LUX ELEMENTS is one of the few companies who provide a solution when water passes through the grout and tiles and on to the waterproof layer.

- **Evacuates the water even when it gets under the tiles**
- **Ensures tiles stay firmly fixed to the tray**
- **Adhesives are not affected sitting in water**
- **Keeps the grout in better condition**
- **Furthers the life of the wetroom floor**

Wall and floor panels

The universal construction panel

LUX ELEMENTS®-ELEMENT-EL is a support element made of polystyrene hard foam with mortar coating and glass fibre fabric on both sides. The panel is a more suitable material for wetroom construction than plasterboard and wood.

- **Reliable on the wall**
- **Creative in design**
- **Strong on the floor**
- **Ready for tiling**
- **Easy-to-use**
- **Versatile in everyday practice**

Wall and floor panels

Specifications

■ LUX ELEMENTS®-ELEMENT-EL …

The construction panels from the ELEMENT product group are available in many thicknesses and designs for different areas of application. They are suitable for use on the wall, as well as on the floor.

For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from **www.luxelements.ca**

ASME A112.18.2 / CSA B 125.2
The panels are cUPC certified as a part of a kit listed under the IAPMO file 8712.

LUX ELEMENTS®-ELEMENT-EL 1524/900 12

The universal construction panel especially for the Canadian market dimensions:
1524 x 900 x 12 mm · 5' x 3' x 1/2"

Wall cladding on stud frames

Floor protection

Floor leveling with shower base flush with the floor

Bath tub surrounds

Ready for tiling

LUX ELEMENTS®-TOP-TR... are prefabricated bath tub surrounds for rectangular standard bath tubs.

Available are three different design variants for bath tub surrounds:

- **Surrounds for smooth and flush bath cladding**
- **Surrounds with footboard**
- **Surrounds with ledge**

Bath tub surrounds

Specifications

■ **Surrounds with LUX ELEMENTS®-TOP-TR...**

Bath tub surrounds for rectangular standard bath tubs.
Available are three different design variants:

LUX ELEMENTS®-TOP-TRS
Surrounds for smooth
and flush bath cladding
for bath tubs up to 2100 mm · 82 $^{11}/_{16}$"
and bath tub head end

LUX ELEMENTS®-TOP-TRU
Surrounds with footboard
for bath tubs up to 2100 mm ·82 $^{11}/_{16}$"
and bath tub head end

LUX ELEMENTS®-TOP-TRV
Surrounds with ledge
for bath tubs up to 2100 mm · 82 $^{11}/_{16}$"
and bath tub head end

Please note:
Bath tub surrounds for standard rectangular tubs are not available as kits. Depending on the installation situation as many as 4 elements are needed.

For the three design variants the following installation positions are possible:

Free-standing

Niche installation

Corner installation

3-sided installation

Installation with shelf

For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from **www.luxelements.ca**

■ **Inspection options and mounting aids for TOP-TR...**

Two solutions are available to choose from for maintenance and repair.
LUX ELEMENTS offers complete mounting kit and mounting aid for bath tub surrounds.

barrier-free

Shower bases

and drain system

The centrepiece of the shower area is the shower base. Whether in a corner or as a replacement for a bath tub, whether as a step up on the floor or a flush with the floor solution, LUX ELEMENTS offers a suitable model for every application in two drainage versions, point and linear.

17

Shower bases

and drain system

- ■ **Models for every installation situation**

- ■ **For concrete and wooden substrates**

- ■ **With point drainage or floor channel drain**

- ■ **Large range of matching accessories**

- ■ **Made-to-measure designs are also possible**

Shower bases and drain system

Point drainage – Specifications

■ LUX ELEMENTS®-TUB – design variants

For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from **www.luxelements.ca**

■ LUX ELEMENTS®-TUB – the principle

Point drainage

with height-adjustable grate fitting frame and standard or design grate

1

Make your choice...

Shower base element

equipped with factory-fitted seal and slope as well as sealed-in grate for high security

2

Floor drain support

Fits all LUX ELEMENTS® shower base elements
Secure and fast installation by means of click system, cUPC certified

3

ASME A112.18.2 / CSA B 125.2
The drains are cUPC certified as a part of a kit listed under the IAPMO file 8712.

■ Drain grates for every taste

TUB-RA-DA

TUB-RA-DC

TUB-RA-DL

TUB-RA-DM

TUB-RA-DV

TUB-RA-DS   with locking system

TUB-RA-DF   with locking system

TUB-RA-S   standard grate

Shower bases and drain system

Linear drainage – Specifications

■ LUX ELEMENTS®-TUB-LINE – design variants

For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from **www.luxelements.ca**

### ■ LUX ELEMENTS®-TUB-LINE – the principle

Linear drainage

with reversible cover rail for two surface variants, tiled or stainless steel, height-adjustable.

1

Make your choice...

Shower base element

equipped with factory-fitted seal and slope as well as channel fitting frame for high security.

2

Floor drain support

Fits all LUX ELEMENTS® shower base elements
Secure and fast installation by means of click system, cUPC certified

3

ASME A112.18.2 / CSA B 125.2
The drains are cUPC certified as a part of a kit listed under the IAPMO file 8712.

■ Design cover rail

cover rail tiled

cover rail turned, brushed stainless steel

■ Two gradient variants

4-sided gradient

single-sided gradient

Shower bases and drain system

Support

Downloads:
- Data sheets,
- Test certificates,
- Product & packaging specifications,
- Processing instructions,
- Broschures

Certified Contractors and Authorized Retailers

Installation videos

www.luxelements.ca

Take a look...

- Our mobile website for smartphones, tablets and other mobile devices

You can not find the right product?

We also manufacture shower bases made-to-measure!

- Special formats called 'TUB-PLUS' can be enquired about separately

- After successful verification of the feasibility we will create a non binding offer

- Once we receive your order, the order will be manufactured

TUB
PLUS

Benches
for corner or at straight wall

A shower area with a seat is particularly practical. LUX ELEMENTS offers prefabricated models for the corner in a compact or "floating" design as well as a wall-mounting seat in two widths.

Benches

Specifications

■ Bench seat corner

LUX ELEMENTS®-RELAX-BA-CO
bench seat corner, solid
dimensions:
816 x 577 x 508 mm
32 1/8" x 22 11/16" x 20"

LUX ELEMENTS®-RELAX-BA-CO FLOAT ...
bench seat corner, floating, with assembling kit:
- ■ 1 cartridge mounting adhesive COL-MK
- ■ 6 fastening sets FIX-SB 80S35
- ■ 4 special screw plugs FIX-SD 80

RELAX-BA-CO FLOAT L
large, dimensions:
864 x 610 x 100 mm
34" x 24" x 3 15/16"

RELAX-BA-CO FLOAT S
small, dimensions:
610 x 430 x 100 mm
24" x 16 15/16" x 3 15/16"

■ Bench straight

LUX ELEMENTS®-RELAX-BA-SOLO-G ...
bench form SOLO, straight

RELAX-BA-SOLO-G 900
dimensions:
900 x 500 x 450 mm
35 7/16" x 19 11/16" x 17 11/16"

RELAX-BA-SOLO-G 750
dimensions:
750 x 500 x 450 mm
29 1/2" x 19 11/16" x 17 11/16"

For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from www.luxelements.ca

**LUX ELEMENTS – WETROOM PRODUCTS**
Secure. Fast. Individual.

Niches

The space-saving solution

Niches are an elegant and space-saving solution for shelves. LUX ELEMENTS offers four prefabricated niches made of hard foam support material which can be combined ideally with LUX ELEMENTS®-ELEMENT-EL wall panels.

Niches

The space-saving solution

- ■ **Prefabricated elements**

- ■ **Perfectly compatible with wall panel LUX ELEMENTS®-ELEMENT-EL**

- ■ **Elegant option for storage**

- ■ **Water- and mould-resistant**

- ■ **Ready for tiling**

For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from **www.luxelements.com**

Niches

Specifications

■ **LUX ELEMENTS®-RELAX-NI-...**

niches prefabricated from ELEMENT-EL 12

LUX ELEMENTS®-RELAX-NI-S
niche
external dimensions:
406 x 89 x 203 mm
16" x 3 1/2" x 8"

internal dimensions:
305 x 77 x 102 mm
11" x 3" x 4"

LUX ELEMENTS®-RELAX-NI-M
niche
external dimensions:
406 x 89 x 406 mm
16" x 3 1/2" x 16"

internal dimensions:
305 x 77 x 304 mm
11" x 3" x 11"

LUX ELEMENTS®-RELAX-NI-L
niche with one shelf
external dimensions:
406 x 89 x 559 mm
16" x 3 1/2" x 22"

internal dimensions:
305 x 77 x 457 mm
11" x 3" x 18"

LUX ELEMENTS®-RELAX-NI-XL
niche with two shelves
external dimensions:
406 x 89 x 1070 mm
16" x 3 1/2" x 42 1/8"

internal dimensions:
305 x 77 x 968 mm
11" x 3" x 38"

Curbs and Ramps

Curbs – as water stop

Optional curbs between the shower and the floor are a suitable method of protecting the bathroom against splash-water from the shower.

LUX ELEMENTS has two standard curbs in different lengths for this purpose. The curbs can be adapted to fit any shower base dimensions by simply cutting to size.

## Ramps – for creating a barrier-free shower area

Prefabricated ramps allow to create a barrier-free transition from bathroom floor to a shower base with a step (Step-Up).

LUX ELEMENTS has two standard ramps in two widths with different gradients. The ramps can be adapted to fit any shower base dimensions by simply cutting to size.

# Curbs and Ramps

Specifications

Please consult with technical support regarding installation
instructions of **ADA Accessibility Guidelines (ADAAG)**

LUX ELEMENTS – WETROOM PRODUCTS
Secure. Fast. Individual.

■ Curbs

Many configurations can be achieved with **LUX ELEMENTS®-RELAX-CU-F** curbs.
Below are some examples:

LUX ELEMENTS®-RELAX-CU-F 5
dimensions:
1524 x 114 x 130/127 mm
60" x 4 ½" x 5 ⅛"/5"

LUX ELEMENTS®-RELAX-CU-F 8
dimensions:
2444 x 114 x 130/127 mm
96" x 4 ½" x 5 ⅛"/5"

For further information, please refer
to our documents. Data sheets,
test certificates and processing
instructions can be downloaded
from **www.luxelements.ca**

■ Ramps

LUX ELEMENTS®-RELAX-RP M
gradient 19,2 %, dimensions:
1828 x 204 x 45 mm
71 ¹⁵/₁₆" x 8 ¹/₁₆" x 1 ³/₄"

LUX ELEMENTS®-RELAX-RP L
gradient 12,8 %, dimensions:
1828 x 304 x 45 mm
71 ¹⁵/₁₆" x 11 ¹⁵/₁₆" x 1 ³/₄"

37 at bottom.

Washstands

in "floating design"

LAVADO-FLOAT are washstand models made of hard foam support material for individual tiling. An invisible suspension provides the four model variants with or without recess with a "floating design".

The washstands can be shortened at the sides, which enables them to be adapted to smaller bathrooms. The construction of a row of washstands is also possible by means of arranging and gluing together several washstands.

- Individual design — Surface design freely selectable
- Easy to process — Prefabricated, ready for tiling
- Modern bathroom design with a "floating" look
- For every room situation — simple to shorten
- Double washstands and row constructions are easy to implement
- Ideally for barrier-free bathrooms

Washstands

Specifications

### ■ LUX ELEMENTS®-LAVADO-FLOAT – the principle

Hard foam support element
with fabric coating

Basin recess
with built-in slope

**Assembly openings**
for the simple assembly of drain and taps

The **installation** of LAVADO-FLOAT is possible not only **on masonry** but also **on stud frames**

■ **LAVADO-FLOAT – model variants**

Washstands with invisible suspension as set for single washing facility, incl. 1 piece
COL-MK and 2 stainless steel brackets 450 mm ·17¹¹/₁₆"in length.

Plastic reinforcement
with drill hole for tap and drain/
also suitable for three-hole taps

Drilled holes
for flexible use of the stainless steel brackets

Stainless steel bracket
with sturdy mounting plate

Plastic
reinforcement

LUX ELEMENTS®-LAVADO-FLOAT G
washstand, even, without recess
dimensions:
1170 x 585 x 100 mm
46 ¹/₁₆" x 23 ¹/₁₆" x 3 ¹⁵/₁₆"

LUX ELEMENTS®-LAVADO-FLOAT E
washstand with elliptical recess
dimensions:
1170 x 585 x 100 mm
46 ¹/₁₆" x 23 ¹/₁₆" x 3 ¹⁵/₁₆"

LUX ELEMENTS®-LAVADO-FLOAT R
washstand with rectangular recess
dimensions:
1170 x 585 x 100 mm
46 ¹/₁₆" x 23 ¹/₁₆" x 3 ¹⁵/₁₆"

LUX ELEMENTS®-LAVADO-FLOAT Z
washstand with cylindrical recess
dimensions:
1170 x 585 x 100 mm
46 ¹/₁₆" x 23 ¹/₁₆" x 3 ¹⁵/₁₆"

For further information, please refer
to our documents. Data sheets,
test certificates and processing
instructions can be downloaded
from **www.luxelements.ca**

41

Individual Surface Design

Ceramic surfaces

LUX ELEMENTS® hard foam support elements are the ideal substrate for tiles, because they offer **optimum hold for cement-based adhesives and seals**. Even more advantages of the hard foam support elements in systems with ceramics:

- **Emission-neutral, i.e. no vapours that are detrimental to health**

- **No subsequent affect on ambient air**

- **Without solvents and neutral in smell**

- **Resistant to mould**

- **For mosaic tiles up to large-sized ceramics**

Individual Surface Design

Alternative surfaces: plasters

LUX ELEMENTS® hard foam support elements are also the right substrate for plasters, as the mortar coating offers reliable adhesion.

- **Tested in systems by renowned plaster manufacturers**

- **Additional room for design is created even in combination with tiles**

- **Application is possible e.g. where tiles or mosaic cannot be installed due to curves.**

Whether on the wall, for constructions, in the shower area or on the floor – hard foam support elements from LUX ELEMENTS are the right substrate anywhere. Not only for large-sized ceramics and mosaic tiles, but also for plasters.

LUX ELEMENTS®

www.luxelements.ca

Installation videos on **www.m.luxelements.com** or visit our new
YouTube-Channel on **www.youtube.com/user/luxelementscom**