

Secure. Fast. Individual.





# Welcome to LUX ELEMENTS




LUX ELEMENTS is an experienced specialist in the production of polystyrene hard foam and in processing products for the building, sanitary and wellness markets.

Our emphasis is on: wall cladding, floor structures, bathroom upgrading and wellness facilities.

#### LUX ELEMENTS® — The original

The new generation of environment-friendly hard foam support elements represents more than simply a construction panel available in different thicknesses. This has been designed as a modern building material, which, in view of its excellent physical properties, will provide, along with very good machinability, plenty of scope for planners, designers, craftsmen and industry, who are not happy to accept the limits imposed by conventional methods.





#### Wetroom Solution — Secure. Fast. Individual.

The wetroom is exposed to many stresses such as water, steam and heat. The water-proof and mould-resistant hard foam support elements from LUX ELEMENTS are the appropriate material for the substrate here.

#### Further advantages:

all components from a single source and individual design with your choice of tiles.





Secure. Fast. Individual.







Secure, Fast, Individual.



#### **Wall Sets**

The wall is an important component of the shower area. LUX ELEMENTS offers two sets for 1 or 2 walls for the creation of a safe substrate. The sets include the construction panels plus the matching processing materials, such as sealing tapes, adhesive and fasteners.


# LUX ELEMENTS®-ELEMENT-EL WALL SET 1

Mounting set for 1 wall, consisting of:



- 1 cartridge mounting adhesive COL-MK,
  - 1 inner corner DRY-DBIE,
- 10 m  $\cdot$  39  $\frac{3}{8}$ " sealing tape DRY-DB,
- 10 m · 39 <sup>3</sup>/8" reinforcement fabric ARM-100 SK,
- 50 fastening sets with screw and washer FIX-SB 45S35







For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from www.luxelements.com



- 8 panels ELEMENT-EL baby 12,
- 2 cartridges mounting adhesive COL-MK,
- 1 inner corner DRY-DBIE,
- $\blacksquare$  10 m · 39 3/8" sealing tape DRY-DB,
- 20 m · 78 <sup>47</sup>/<sub>64</sub>" reinforcement fabric ARM-100 SK,
- 100 fastening sets with screw and washer FIX-SB 45S35





Secure, Fast, Individual.




# Shower bases and drain system

The centrepiece of the shower area is the shower base. Whether in a corner or as a replacement for a bath tub, whether as a Step-up on the floor or a flush with the floor solution, LUX ELEMENTS offers a suitable model for every application.



LUX ELEMENTS®-TUB- .../TUB-LINE ... — the principle











For further information. please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from www.luxelements.com

#### ■ LUX ELEMENTS®-TUB-... — point drainage

Tileable shower bases with sealed central or off-centre point drainage and 4-sided slope in many shapes and sizes, e.g.:

















### LUX ELEMENTS®-TUB-LINE ... — linear drainage

Tileable shower bases, square or rectangular, with 1 or 4-sided slope with sealed-in floor channel drain in various sizes, e.g.:









#### **Two** drainage versions —

Point drainage with height-adjustable grate fitting frame and standard or design grate, or linear drainage with reversible cover rail for two surface variants, tiled or stainless steel, height adaptable.

### Shower base element —

Equipped with factory-fitted seal and slope as well as sealed-in grate or channel fitting frame for high security.

# Floor drain support —

Fits all LUX ELEMENTS® shower base elements with point or linear drainage.

### LUX ELEMENTS®-TUB BA-S CST the assembly

Secure and fast installation by means of click system.

The drains are cUPC certified as a part of a kit listed under the IAPMO file 8712

Installation video on www.m.luxelements.com



Secure, Fast, Individual.



### **Benches**

A shower area with a seat is particularly practical. LUX ELEMENTS offers prefabricated models for the corner in a compact or "floating" design as well as a wall-mounting seat in two widths.

#### LUX ELEMENTS®-RELAX-BA-CO

bench seat corner, solid



external dimensions: 816 x 577 x 508 mm 32" x 23" x 20"



### LUX ELEMENTS®-RELAX-BA-CO FLOAT ...

bench seat corner, floating, with assembling kit:

- 1 cartridge mounting adhesive COL-MK
- 6 fastening sets FIX-SB 80S35
- 4 special screw pluas FIX-SD 80



### RELAX-BA-CO FLOAT L

large, external dimensions: 864 x 610 x 100 mm 34" x 24" x 37/8"



#### **RELAX-BA-CO FLOAT S**

small, external dimensions: 610 x 430 x 100 mm 24" x 167/8" x 37/8"





MODUL-BA-SOLO-G 900 external dimensions: 900 x 500 x 450 mm 37" x 19 1/2" x 17 7/8"



 $\begin{array}{l} \textbf{MODUL-BA-SOLO-G~750} \\ \textbf{external dimensions:} \\ 750 \times 500 \times 450 \text{ mm} \\ 29 \ 1/2" \times 19 \ 1/2" \times 17 \ 7/8" \end{array}$ 



Secure, Fast, Individual.



#### **Niches**

Niches are an elegant and space-saving solution for shelves. LUX ELEMENTS offers four prefabricated niches made of hard foam support material which can be combined ideally with the WALL SETS.



#### LUX ELEMENTS®-RELAX-NI-S

niche prefabricated from ELEMENT-EL 12 external dimensions: 406 x 89 x 203 mm 16" x 3 1/2" x 8"

LUX ELEMENTS®-RELAX-NI-M niche prefabricated from ELEMENT-EL 12 external dimensions:

406 x 89 x 406 mm 16" x 3 1/2" x 16"



#### LUX ELEMENTS®-RELAX-NI-L

niche prefabricated from ELEMENT-EL 12 with one shelf external dimensions:  $406 \times 89 \times 559 \text{ mm}$   $16'' \times 3^{1}/2'' \times 22''$ 



# LUX ELEMENTS®-RELAX-NI-XL

niche prefabricated from ELEMENT-EL 12 with two shelves external dimensions:  $406 \times 89 \times 1070 \text{ mm}$   $16'' \times 3^{1}/2'' \times 42''$ 





Secure, Fast, Individual.



# **Curbs and Ramps**

Optional curbs or ramps between the shower and the floor are a suitable method of protecting the bathroom against splash-water from the shower or creating a barrier-free shower area. LUX ELEMENTS has two standard curbs and ramps in different lengths for this purpose.




curb as a water barrier, external dimensions:

RELAX-CU-F 5 1524 x 114 x 127 mm 5' x 5" x 4 1/2" **RELAX-CU-F 8**2444 x 114 x 127 mm
8' x 5" x 4 1/2"

### LUX ELEMENTS®-RELAX-RP ...

ramp for creating a barrier-free shower area, external dimensions:

RELAX-RP M 1828 x 203 x 45/6 mm 6' x 8" x 13/4"/1/4" RELAX-RP L 1828 x 304 x 45/6 mm 6' x 12" x 1<sup>3</sup>/<sub>4</sub>"/<sup>1</sup>/<sub>4</sub>"





Secure, Fast, Individual.



#### **Accessories**

The proven and tested system components are fully matched to the processing of the hard foam support elements. The specially developed accessories ensure trouble-free working and high processing reliability.



# LUX ELEMENTS®-COL-MK

Mounting adhesive



Reinforcement for transitions, self-adhesive  $100 \text{ mm} \cdot 3 \cdot 15/16$ " broad



Sealing tape for wall and floor connections  $100 \text{ mm} \cdot 3 \cdot 15 / 16$ " broad



Sealing tape for inside and outside corners



## IUX FIFMENTS®-DRY-DRWM

Sealing sleeve for pipe openings 120 x 120 mm · 423/32" x 423/32"

# LUX ELEMENTS®-FIX-SB ...

Fastening set with srew and washer for the installation on supports



Special screw plug

for connecting hard foam support elements

Would you like to see more bathroom and wellness products from LUX ELEMENTS? Just visit our homepage!



For further information, please refer to our documents. Data sheets, test certificates and processing instructions can be downloaded from www.luxelements.com

